




This document is property of INGENIERIA VIESCA, S.L., it is allowed neither its reproduction partially or totally, nor its disclosure to any third party without the authorization of the Company.




**DETAIL B
INPUT TERMINALS**




DETAIL A




**DETAIL D
PROTECTIVE EARTH**




**DETAIL C
OUTPUT TERMINALS**




DETAIL E



IC: INTERMODULE CONNECTION
COM1: ETH+USB+SD COMMUNICATION
COM2: PLC COMMUNICATION
BNC1: VOLTAGE SETPOINT
BNC2: INPUT PULSE
USB: PC COMMUNICATION



(*) THESE CONNECTORS ARE INCLUDED WITH THE EQUIPMENT AND ALLOW TO CHANGE THE TYPE OF WATER CONNECTION:



INTERLOCKING: connected when interlocking enabled (+24V PS ON, 0V PS OFF)
DISABLE INTERLOCKING:
- Bridge: Interlocking disabled
- Open: Interlocking enabled
MANUAL RESTART:
- Bridge: Manual restart from input breaker when 380-480Vac off
- Open: No manual restart
DIG OUT: To be defined

Heatsink Flow Rate	5 l/min	10 l/min	15 l/min
Pressure Drop	0,06 bar	0,22 bar	0,5 bar

0	Creacion de plano	C.V.E.M.	R.L.P.	17-01-2020
ED.	DESCRIPCIÓN	APROBADO	MODIF. POR	FECHA

MATERIAL	ACABADO FINISH	PESO WEIGHT	TOL. MECANIZADO / MACHINING	HOJA Nº SHEET Nº DE / OF	NºHOJAS NºSHEETS
-	-	88 kg	UNE-EN 22768-1-m TOL. SOLDADURAWELDING	1	1
DIBUJADO DRAWN	R.L.P.	FECHA CREACION / MODIF. DATE OF ISSUE	DENOMINACION TITLE		
COMPROBADO CHECKED	C.V.E.M.	17/01/2020	6 kW PULSED POWER SUPPLY 380V-480V/1200V-750A		
APROBADO APPROVED	C.V.E.M.	COTAS EN DIMENSION IN	CODIGO CODE	FORMATO SIZE FORMAT	
		mm mm	020071	A2	
ESCALA SCALE			Nº DE PLANO DRAWING		
1:4			P-005415		
MODIFICACION ISSUE			0		

Este documento es propiedad de INGENIERIA VIESCA, S.L., y no está permitida su reproducción total o parcial ni la copia o transferencias sin el consentimiento expreso de la dirección.